Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	87	("8" near4 bit) same (PCI (peripheral near2 compoent near2 interfac$3)) same (pointer or point$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 18:09
L2	29	(value or size or length or width or capacity) same 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 18:06

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	269	("12" near4 bit) same (PCI (peripheral near2 component near2 interconnect$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 20:28
L2	62	(configurat$3 near5 address$3 near4 (register or buffer or queue or memory or table)) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 20:29
L3	58	(pointer or point$3) and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 20:29
L4	26	("711"/$.ccls. or "710"/$.ccls.) and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 20:30

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	348	(pci (peripheral near2 component near2 interconnect)) same (configur$4 near4 (address$3 or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 16:39
L2	257	(register or buffer$3 or table or list$3 or directory or storage or memory or queue) same 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 16:40
L3	1555	((offset with ((base or start$3) near3 address)) same (add or adding or addition$3)) and "3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 16:41
L4	34	((offset with ((base or start$3) near3 address)) same (add or adding or addition$3)) and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 16:47
L5	15	"6094699".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 16:47
L9	34	((offset same ((base or start$3) with address$3)) same (add or adding or addition$3)) and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 17:00
L10	34	(point$4 indicat$4) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/01/13 16:59